

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	10374	connect\$3 near5 (light same detect\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 10:21
L2	5	connect\$3 near5 (light same detect\$4) with (card near3 insert\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 10:54
L4	0	(half adj effect) with (light photo\$8 microswitch LED (charge adj couple\$2)) with detect\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 10:57
L5	6	(half adj effect) with (light photo\$8 microswitch LED (charge adj couple\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 10:57
L6	1326	(hall adj effect) with (light photo\$8 microswitch LED (charge adj couple\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 10:57
L7	370	(hall adj effect) with (light photo\$8 microswitch LED (charge adj couple\$2)) with detect\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 10:57
L8	8013	((card circuit board slot) with detect\$4 with (light led)) and processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 10:58
L9	57	7 and L8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 10:58

EAST Search History

L10	49	("5513075" "5761033" "4250563" "4935845" "4994937" "5432682" "5785548" "5926370" "6144561" "6195266" "6222725" "6222725" "6018464" "6288902" "6317334" "6404641" "6850410" "6166919" "4480287" "5015801" "6247078" "5515303" "5602456" "5747786" "6023147" "5410448" "5808866" "5627842" "5707247" "6160706" "5211496" "5293636" "5446621" "6031715" "6064575" "6104613" "4925397" "5203004" "5216582" "5270964" "5383148" "5451966" "5462442" "5465229" "5532954" "5565877" "5721669" "5757617" "5980299" "6086427").pn.	USPAT	OR	ON	2006/05/01 11:33
L11	1	10/783785	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 11:33
L12	0	L10 and ((hall adj effect) microswitch (micro near2 switch))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 11:33
L13	9965	((hall adj effect) microswitch (micro near2 switch)) and (enclosure module)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 11:33
L14	254203	(light led) near3 (detect\$4 check)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 11:33
L15	1362	L13 and L14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 11:33
L16	607	L15 and slot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 11:33

EAST Search History

L17	1137	((hall adj effect) microswitch (micro near2 switch)) with (enclosure module)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 11:33
L18	16	L14 with L17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 11:33
L19	140	L14 and L17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 11:33
L20	3	card with slot with insert\$4 with detect\$4 with processor with (light led)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 11:33
L21	8013	((card circuit board slot) with detect\$4 with (light led)) and processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 11:33
L22	910	((card circuit board slot) with detect\$4 with (light led)) with processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 11:33
L23	27	L22 and ((charge adj coupl\$3 adj detector) microswitch (hall adj effect))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 11:33
L24	8716	((card circuit board slot) with (insert\$4 detect\$4) with (light led)) and processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 11:33
L25	8013	((card circuit board slot) with detect\$4 with (light led)) and processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 11:33
L26	332	L25 and ((charge adj coupl\$3 adj detector) microswitch (hall adj effect))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 11:33

EAST Search History

L27	324	L26 and (status characteristic type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 11:33
L28	4076	((card circuit board slot) with (detect\$4 near3 (type characteristic status))) and processor and (detect\$4 (led light))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 11:33
L29	384	((card circuit board slot) with (detect\$4 near3 (type characteristic status))) with processor with (detect\$4 (led light))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 11:33
L30	32	L29 and enclosure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/01 11:33